


Installation Subwoofer WX125





WX125 subwoofer for flush-mount installation



Installation Subwoofer WX125 Specifications



Code Codice	Code Code	WX125
Material Materiale	Matériel Material	Steel
Type Tipo	Type Typ	Bandpass
Loudspeaker Ø (cm) Altoparlante Ø (cm)	Haut-parleur Ø (cm) Lautsprecher Ø (cm)	1 x 25,0
Power RMS (W) Potenza RMS (W)	Puissance RMS (W) Leistung RMS (W)	400
Max Power (W) Potenza Massima (W)	Puissance maximale (W) Max. Leistung (W)	800
Frequency response (Hz) Risp. in frequenza (Hz)	Rép. en fréquence (Hz) Frequenzgang (Hz)	28 - 120
Sensitivity dB (2,83V/1m) Sensibilità dB (2,83V/1m)	Sensibilité dB (2,83V/1m) Empfindlichkeit dB (2,83V/1m)	87
Nominal impedance (Ω) Impedenza nominale (Ω)	Impédance nominale (Ω) Nennimpedanz (Ω)	4
Dimensions H x W x D (cm) Dimensioni A x L x P (cm)	Dimensions H x L x P (cm) Abmessungen H x B x D (cm)	28,0 x 28,0 x 38,0 (box)
Weight Peso (Kg)	Poids Gewicht (Kg)	
Pipe W (cm)- Ø (cm) Tubo L (cm)- Ø (cm)	Tuyau L (cm)- Ø (cm) Rohr B (cm)- Ø (cm)	70,0 - 11,1